

	Hits	Search Text	DBs
1	1	("6049613").PN.	USPAT; USOCR
2	14	"5631960".URPN.	USPAT
3	8	("4760599" "5016276" "5365591" "5432848" "5608798" "5631960" "5991401" "6009174").PN.	USPAT
4	1	("20020124179").PN.	US-PGPUB; USPAT; USOCR
5	3322	(verif\$6 or check\$3 or test\$3) near3 (ecrypt\$3 or encipher\$3 or decrypt\$3 or decipher\$3 or cryptograph\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
6	264	((verif\$6 or check\$3 or test\$3) near3 (ecrypt\$3 or encipher\$3 or decrypt\$3 or decipher\$3 or cryptograph\$2)) and ((fault or error) near5 (ecrypt\$3 or encipher\$3 or decrypt\$3 or decipher\$3 or cryptograph\$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
7	15	"5432848".URPN.	USPAT
8	14	"5631960".URPN.	USPAT
9	8	("4760599" "5016276" "5365591" "5432848" "5608798" "5631960" "5991401" "6009174").PN.	USPAT
10	2	"5991401".URPN.	USPAT
11	2	"5303293".URPN.	USPAT
12	105	((((verif\$6 or check\$3 or test\$3) near3 (ecrypt\$3 or encipher\$3 or decrypt\$3 or decipher\$3 or cryptograph\$2)) and ((fault or error) near5 (ecrypt\$3 or encipher\$3 or decrypt\$3 or decipher\$3 or cryptograph\$2)))) and reset	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
13	6	((verif\$6 or check\$3 or test\$3) near3 (ecrypt\$3 or encipher\$3 or decrypt\$3 or decipher\$3 or cryptograph\$2)) and ((fault or error) near5 (ecrypt\$3 or encipher\$3 or decrypt\$3 or decipher\$3 or cryptograph\$2))) and (reset same (smartcard or "smart card"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
14	18	("concurrent error detection" or fault-based) and reset	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
15	1	(encrypt\$3 or decrypt\$3 or cryptograph\$2) near3 (error or fault) with reset	USPAT
16	3	(smartcard or "smart card") with (error or fault) same reset	USPAT
17	0	(cryptographic near2 (device or module or component or unit)) with (error or fault) same reset	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
18	4	(cryptographic near2 (operation or process\$3)) with (error or fault) same reset	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
19	10	("4193131" "4264782" "4349695" "4601011" "4916704" "5237611" "5255367" "5276859" "5490252" "5781632").PN.	USPAT
20	0	(smartcard or "smart card") near3 reset with (attack or error)	USPAT
21	5	(smartcard or "smart card") with reset same (attack or error)	USPAT
22	2475	713/168,172,187;380/2,29-30,259.ccls.	US-PGPUB; USPAT

	Hits	Search Text	DBs
23	472	713/168,172,187;380/2,29-30,259.ccls. and ((verif\$6 or check\$3 or test\$3) near3 (ecrypt\$3 or encipher\$3 or decrypt\$3 or decipher\$3 or cryptograph\$2))	US-PGPUB; USPAT
24	73	(713/168,172,187;380/2,29-30,259.ccls. and ((verif\$6 or check\$3 or test\$3) near3 (ecrypt\$3 or encipher\$3 or decrypt\$3 or decipher\$3 or cryptograph\$2))) and ((fault or error or attack) near5 (ecrypt\$3 or encipher\$3 or decrypt\$3 or decipher\$3 or cryptograph\$2))	US-PGPUB; USPAT
25	15	"5631960".URPN.	USPAT
26	15	"5432848".URPN.	USPAT
27	2	"5991401".URPN.	US-PGPUB; USPAT
28	2	"5303293".URPN.	US-PGPUB; USPAT
29	7	((verif\$6 or check\$3 or test\$3) near3 (ecrypt\$3 or encipher\$3 or decrypt\$3 or decipher\$3 or cryptograph\$2)) and ((fault or error) near5 (ecrypt\$3 or encipher\$3 or decrypt\$3 or decipher\$3 or cryptograph\$2))) and (reset same (smartcard or "smart card"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
30	21	("concurrent error detection" or fault-based) and reset	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
31	1	(encrypt\$3 or decrypt\$3 or cryptograph\$2) near3 (error or fault) with reset	USPAT
32	3	(smartcard or "smart card") with (error or fault) same reset	USPAT
33	0	(cryptographic near2 (device or module or component or unit)) with (error or fault) same reset	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
34	5	(cryptographic near2 (operation or process\$3)) with (error or fault) same reset	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
35	0	(smartcard or "smart card") near3 reset with (attack or error)	USPAT
36	5	(smartcard or "smart card") with reset same (attack or error)	USPAT
37	80	(713/168,172,187;380/2,29-30,259.ccls. and ((verif\$6 or check\$3 or test\$3) near3 (ecrypt\$3 or encipher\$3 or decrypt\$3 or decipher\$3 or cryptograph\$2))) and ((fault or error or attack) near5 (ecrypt\$3 or encipher\$3 or decrypt\$3 or decipher\$3 or cryptograph\$2))	US-PGPUB; USPAT